



WORKTOPS - SINK MODULES 2011 – 2013

GetaCore®



Photo: GetaCore kitchen worktop decor GC 1472 with sink module type 1, GC 2011 white bowls

CONTENTS

GetaCore®

GetaCore® elements – Kitchen worktops

- 4** Full GetaCore Solid Surface sink modules
- 6** OnePiece corner worktops
- 8** StandAlone worktops
- 10** GetaCore sink modules (drainer areas) for stainless steel sinks
- 12** GetaCore sink modules for full granite sinks
- 14** GetaCore sink modules (drainer areas) for granite sinks
GetaCore sink modules for full granite sinks
- 16** GetaCore sink modules (drainer areas) for ceramic sinks
(Belfast)


- 18** **Technical Information**
Types/Order form

- 19** **Worktop Accessoires**

FULL GETACORE® SOLID SURFACE SINK MODULES

GetaCore Solid Surface worktops including full GetaCore Solid Surface sink modules made from 10 mm GetaCore drainer areas and bowls. Create your own sink module by selecting worktops & drainer areas from our full GetaCore colour range. Kitchen bowls can be selected from two plain decors, white or pergamon, or even from a range of 8 colour-matching bowls.

AF 40/GC | WORKTOPS



SINGLE-EDGED

4100 x 600/650/900/1200 x 38,3 mm

DOUBLE-EDGED

4100 x 670/900/1200 x 38,3 mm

FULL GETACORE SINK TYPES:

Type 1: full and ½-sink integrated

Type 2: full bowl integrated

Type 5: two full bowls – corner top sink-module

Type 6: two full bowls integrated

Type 1: full and ½-sink integrated



Try and create your own kitchen design via our CutDesign programme, www.westag.co.uk or by using the downloadable ORDER-FORMS.




Photo: GetaCore kitchen worktop decor GC 2417 with sink-module type 1 GC 2417



Photo: GetaCore OnePiece kitchen corner worktop
L-form GC1112, GC sink module type 5



| AF 40/GetaCore® |
one piece corner top
angled-front-edge
1180 x 1180 x 600 x 39 mm



| AF 40/GetaCore® |
one piece corner top
L-form
1180 x 1180 x 600 x 39 mm



| AF 50/GetaCore® |
one piece corner top
angled-front-edge
1050 x 1050 x 610 x 49 mm



| AF 50/GetaCore® |
one piece corner top
L-form
900 x 900 x 610 x 49 mm

GETACORE® SINK MODULES | ONE PIECE CORNER TOPS


With GetaCore OnePiece corner worktops, either L-form style or angled tops, nearly any corner installation situation in the kitchen can be easily fitted. Precisely adjusted GetaCore sink modules already integrated into the corner worktop enable a completely rounded piece of installation. Standard 40 mm corner worktops can be jointed to adjacent GetaCore worktop sets, or, 50 mm StandAlone OnePiece corner worktops set up even next to laminate worktops allow for an outstanding worktop design feature.



| GC 1112 |
frosted space



| GCS 189 |
star anthracite



| GC 1472 |
miracle stone

Decors shown are worktop decors. For exact availability please see decor-stock code guide.




Try and create your own kitchen design via our CutDesign programme, www.westag.co.uk or by using the downloadable ORDER-FORMS.




Photo: GetaCore StandAlone kitchen worktop GC 1112 with Blanco Metra 6S sink anthracite -adjacent to GetaLit HPL laminate worktop C 413 Cr, 1200 x 610 x 49 mm

GETACORE® SINK MODULES | STAND ALONE WORKTOPS


With GetaCore 50 mm StandAlone kitchen worktops set up even next to laminate worktops an outstanding worktop design feature can be created in your kitchen. Precisely adjusted GetaCore sinks modules already integrated into the corner worktop enable a fully rounded piece of installation.



| GC 4712 |
frosted grey



| GC 4282 |
miracle elephant



| GC 7754 |
miracle toffee


Decors shown are worktop decors. For exact availability please see decor-stock code guide.

GETACORE® WORKTOPS | FOR STAINLESS STEEL SINKS


Put the right mix into your kitchen by combining GetaCore Solid Surface worktops with integrated sink-modules (drainer areas) with stainless steel undermount sinks. There is a large variety of sink-modules (drainer-areas) for either single stainless steel bowls or full bowls and ½-sink undermounts available to fulfil almost any kitchen size requirements. An easy order procedure is granted by using the sink-module Order forms downloadable from our website www.westag.co.uk



| GCT 236 |
terrazzo crystal




| GCTR 41 |
raindrops concrete



| GCR 783 |
raindrops coffee

Decors shown are worktop decors. For exact availability please see decor-stock code guide.

Carron Phoenix Lavella 150U, Decor GC 4282



Try and create your own kitchen design via our CutDesign programme, www.westag.co.uk or by using the downloadable ORDER-FORMS.





Photo: GetaCore kitchen worktop GC 5292, Blancogamma 420U-160U



Photo: Carron Phoenix full stainless steel sink Precision plus lifestyle

GETACORE® WORKTOPS | FOR FULL STAINLESS STEEL SINKS

Full stainless steel sinks can easily be fitted into a GetaCore Solid Surface kitchen worktop, either by setting into the worktop from above or they can even be undermounted. For quick availability of both products, the GetaCore worktop with an appropriate cut-out and the sink as such, Carron Phoenix sinks can be offered from our depot to be delivered at the same time. An easy order procedure is granted by using the sink-module order forms downloadable from our website www.westag.co.uk



| GCTR 29 |
raindrops rain




| GCR 342 |
raindrops cappuccino

Carron Phoenix full stainless steel sink Maui lifestyle



Try and create your own kitchen design via our CutDesign programme, www.westag.co.uk or by using the downloadable ORDER-FORMS.

GETACORE® WORKTOPS | FOR GRANITE SINKS




| GC 2388 |
miracle beach



| GC 2269 |
frosted cloud



| GC 2417 |
frosted white



| GC 2371 |
miracle white



| GC 3434 |
miracle vanilla



| GC 3391 |
miracle dune



| GC 2423 |
miracle sand



| GC 3961 |
miracle feather

GetaCore drainer area GC 3434 with a cut-out for e.g. Carron Phoenix granite sink Fiji 150U espresso



Carron Phoenix full granite sink ZX 150U polarwhite



GetaCore® worktops can be supplied with cut-outs for Granite undermounts (under the 3 mm GetaCore® worktop surface) or insets into the worktop, e.g. for Carron Phoenix ZX. GetaCore® worktops with 10 mm drainer-areas and cut-outs for Ceramic (Belfast) sinks are also available.

For exact GetaCore sink-module (drainer area) please see GC order form no. 68.




Photo: Solid Surface sink-module (drainer area) with a cut-out for Carron Phoenix granite sink Fiji 150U white.



Photo: Kitchen worktop with a cut-out for Carron Phoenix ceramic sink (Belfast 100-U)

GETACORE® WORKTOPS | WITH CUT -OUTS FOR CERAMIC SINKS


Precisely adjusted GetaCore sink modules (drainer areas) made from 10 mm GetaCore Solid Surface material already integrated into the standard GetaCore worktop enable an easy-fit of ceramic (Belfast) bowls. With this a fantastic effect can be achieved: A design mix fitting a country house style kitchen combined with a modern style GetaCore Solid Surface worktop. Product innovations meeting tradition.



| GC 3210 |
miracle desert



| GC 5311 |
frosted brasil




| GC 6291 |
miracle love

BELFAST BOWLS AVAILABLE:

Carron Phoenix Belfast 100-U
Carron Phoenix Belfast 110-U
Carron Phoenix Belfast 200-U


For exact GetaCore sink-module (drainer area) please see GC order form no. 68.

The product application examples shown in this brochure have been graphically produced and might differ from the original decor. Colour variations to the original decors are subject to printing limitations.




AF 40/GC Worktops

35 mm chipboard type P2 to DIN EN 312, faced with 3 mm GetaCore acrylic-bound solid surface material, wet sanded (P600). Reverse side with 0.3 mm balancer, front edge 10 mm GetaCore with chamfered GetaCore edge, an elastic expansion joint between substrate and GetaCore® edge. Moisture-resistant resin seal at GetaCore/ balancer joint along front edge.




Sheet Material

Acrylic resin bound Solid Surface material to ISO 19712, surface wet sanded (P 600), reverse side dry sanded (P 80).




Edges

3 or 10 mm acrylic resin based solid surface material, surface wet sanded (P600) and reverse side dry sanded (P80). Concealed fixing by using GetaCore two-component adhesive.




Wallback Panel Profile

10 mm solid profile with rounded front edge, 10 mm radius, surface: wet sanded (P600).



Coved Profile

4100 mm covered upstand-profile, suitable to create a radiused edge between worktop and wallback panel or upstand. Wet sanded surface finish (P600).



Kitchen Bowl GC-R-450

GetaCore bowls/basins without overflow drilling for flush installation under GetaCore worktops or 10 mm GetaCore slabs. Including sealing rubber sleeves.

Example:

1 of ca. 70 different Order Forms for AF 40/GetaCore® kitchen worktops with integrated sink-modules (drainer areas) for different sink options. For all please see: www.westag.co.uk

GetaCore® elements **WESTAG & GETALIT AG**

Order form 40 – AF 40/GC worktop with cut-out for Carron Phoenix® Lavella 150 U

Customer: _____ Telefax +44 (0)1923 236121
 Customer-no: _____ Desp. week: _____
 Order-no: _____ Date: _____

Specification: AF 40/GC worktop, cut-out for CP sink, to be undermounted, option as below, without the CP sink/bowls itself.

AF 40/GC worktop: All 24 UK GC standard colours available; others upon request. **worktop width options:**
surfaces finish: wet sanded (GC-worktop and sink module) 600 mm single-edged
650 mm single-edged
900 mm single-edged
1200 mm single-edged
670 mm double-edged
900 mm double-edged
1200 mm double-edged

10 mm drainer: **visible size from top:** 960 mm x 480 mm
overall size (undermounted): 1002 mm x 522 mm

bowl sizes: bowl 533 mm x 400 mm
cabinet size: 600 mm


GC worktops AF 40/GC with cut-out for CP sink with integrated GC-drainer-groove module 10 mm
(production of cut-out, not delivering of sink itself) Please fill in sizes required! Please indicate if worktop single-edged or double-edged.

worktop length mm	worktop width mm	worktop decor	drainer area decor	size "x"	W & G fix size "y"	drainer pls choose lh or rh
					300	

Positioning of sink element:
 x = distance/size taken from left-hand end of worktop to "y"; Please let us know size "x" for making the cut-out, minimum 625 mm
 y = fix: size from front edge of worktop to middle point of visible size of sink.

Top view:

Side view:



Lavella 150 U


Please specify distance/size taken from left-hand end of worktop to size "x" (middle point of sink element) in 50 mm increments.
 Note: Please allow for at least 10 mm +/- tolerance for your own adjustments.
 Note: Orders can only be accepted with duly signed order form.

date/company/signature customer (print name)




Kitchen Bowl GC-R-162

GetaCore bowls/basins without overflow drilling for flush installation under GetaCore worktops or 10 mm GetaCore slabs. Including sealing rubber sleeves.



Cork Strip

as an expansion joint for the 10 mm edge material.



Thermo Strip

for professional isolation of cut outs for cookers/oven.




Acrylic glue

GetaCore 2-component acrylic glue/ joint adhesive in 50 ml and 250 ml cartridges including 2 mixing nozzles, suitable for the cartridge size. Additional nozzles are essential when using the same GetaCore cartridge more than twice.




Polisher

Special polishing paste to remove marks of wear and tear. Appropriate for all GetaCore surfaces with „semi matt“ end finish. Alu tube containing 150 ml.



Special glue gun

For GetaCore 2-component joint adhesive. Suitable for 50 ml or 250 ml system. Additional nozzles are essential when using the same GetaCore cartridge more than twice.




Corner joint set

for a simple and high-quality joint between GetaCore worktops and the chipboard substrate.




Additional nozzles

Replacement nozzles for 50/250 ml cartridges. Additional nozzles are essential when using the same GetaCore cartridge more than twice.



Moisture barrier

to protect the worktop's reverse side near to cut-outs, ovens and dishwashers.



Sanding Pads

Sanding Sets SemiMatt or HighGloss for surface finishing, compatible with all commercial random orbital sanders with 150 mm sanding plates.



Care & Maintenance-kit

(small and large version) for semi-mat GetaCore surfaces.



Polish milk




Festool Polishing Milk MPA 10000 (contents 500 ml) to achieve the high gloss surface finish.



Cleaner

Special Cleaner for all GetaCore surfaces to remove heavy stains, like e.g. coffee, tea, etc. contents 500 ml.

Sales Office United Kingdom
Unit 15 Orbital 25 Business Park | Dwight Road | Watford WD18 9DA
t. +44 1923 294 370 | f. +44 1923 236 121
info@westag.co.uk | www.westag.co.uk

-  Plywood/Formwork
-  Doors/Frames
-  Laminates/Elements

Westag & Getalit AG
Postfach 26 29 | 33375 Rheda-Wiedenbrück | Germany
t. +49 5242 17-4400 | f. +49 5242 17-75166
www.westag-getalit.de | le.export@westag-getalit.de